

Table of Contents

Abstract	i
Acknowledgements	ii
Table of Contents	iii
List of Figures	v
List of Tables	x
1 Introduction	1
1.1 Motivation.....	1
1.2 Structure of the Thesis.....	2
2 Cellular Neural Network	3
2.1 Introduction.....	3
2.2 The Structure of Cellular Neural Networks.....	3
2.3 Comparison of Cellular Neural Network and Hopfield Neural Network.....	8
2.4 Discrete-Time Cellular Neural Networks.....	9
References.....	10
3 Cellular Neural Networks for Seismic Horizon Linking	11
3.1 Introduction.....	11
3.2 The Brief Introduction of Gathering Seismic Data.....	11
3.3 The Preprocessing of Seismic Data.....	14
3.4 The Seismic Horizon Linking System of Using Cellular Neural Networks.....	14
3.5 Example.....	35
3.6 Experimental Results.....	43
3.7 Conclusions.....	98
References.....	99
4 Cellular Neural Networks for Seismic Pattern Recognition	100
4.1 Introduction.....	100

4.2	Associative Memories.....	101
4.3	DT-CNNs for Associative Memories.....	102
4.3.1	Design of Feedback Template.....	103
4.3.2	Stability Results.....	106
4.3.3	Design of DT-CNNs for Associative Memories.....	106
4.3.4	Associative Memories Design Principle.....	115
4.3.5	Comparison of DT-CNN Associative Memory and Hopfield Associative Memory.....	118
4.4	Pattern Recognition of Using DT-CNN Associative Memories.....	118
4.5	Example.....	120
4.6	Experimental Results.....	131
4.7	Conclusions.....	155
	References.....	156

5 Conclusions and Future Works 158

5.1	Conclusions.....	158
5.2	Future Works.....	158
	References.....	170



List of Figures

Fig. 2.1 A two-dimensional 6×10 cell array.....	3
Fig. 2.2 Radius $r = 1$, the range of cell C_{ij} and its neighboring cells.....	4
Fig. 2.3 The primary element of a cellular neural network - cell C_{ij}	5
Fig. 2.4 The circuit structure of cell C_{ij}	5
Fig. 2.5 Output function.....	6
Fig. 2.6 The basic model of cellular neural networks.....	7
Fig. 2.7 Motion equation.....	7
Fig. 3.1 The basic model of seismic source and receivers.....	13
Fig. 3.2 Concept of CDP (Common Depth Point).....	13
Fig. 3.3 The preprocessing steps of seismic data.....	14
Fig. 3.4 The seismic horizon linking system.....	14
Fig. 3.5 Peak data.....	15
Fig. 3.6 Neighborhood radius $r = 1$, the distribution situation of the center cell and its neighboring cells.....	16
Fig. 3.7 The first kind distribution: the outputs of center cell and its one of six neighboring cells are 1.....	17
Fig. 3.8 The second kind distribution: at least two cells with output value 1 in the same column.....	19
Fig. 3.9 The third kind distribution: the output of center cell C_{ij} is 1 and there are cells with output value 1 and input value 1 in the neighboring columns of center cell, and the distance between one of these cells and center cell is greater than 1.....	20
Fig. 3.10 The fourth kind distribution: the center cell is not a peak and the output of center cell is 1 and a cell with output value 1 and input value 1 in the left neighboring column of center cell and a cell is a peak in the right neighboring column of center cell in a 3×3 window.....	21
Fig. 3.11 (a) One situation of linking process; (b) The situation of (a) after the next iteration; (c) The situation of (b) after the next iteration.....	26
Fig. 3.12 (a) The first situation which is needed to consider for horizon linking; (b) The second situation which is needed to consider for horizon linking; (c) The third situation which is needed to consider for horizon linking; (d) The first linking result; (e) The second linking result; (f) The third linking result; (g) The fourth linking result; (h) The fifth linking result; (i) The sixth linking result.....	27

Fig. 3.13 (a) Sub image of an image; (b) A 3×3 mask.....	31
Fig. 3.14 (a) The simulated seismic peak data, (b) The peaks in (a) are shown as solid dots.....	35
Fig. 3.15 The first extracted horizon.....	39
Fig. 3.16 The second extracted horizon.....	41
Fig. 3.17 (a) The simulated seismic peak data, (b) The peaks in (a) are shown as solid dots.....	43
Fig. 3.18 (a) The simulated seismic peak data, (b) The peaks in (a) are shown as solid dots.....	48
Fig. 3.19 (a) The simulated seismic peak data, (b) The peaks in (a) are shown as solid dots.....	57
Fig. 3.20 (a) The simulated seismic peak data, (b) The peaks in (a) are shown as solid dots.....	60
Fig. 3.21 (a) The simulated seismic peak data, (b) The peaks in (a) are shown as solid dots.....	63
Fig. 3.22 (a) The simulated seismic peak data, (b) The peaks in (a) are shown as solid dots.....	67
Fig. 3.23 (a) The simulated seismic peak data, (b) The peaks in (a) are shown as solid dots.....	70
Fig. 3.24 (a) The simulated seismic peak data, (b) The peaks in (a) are shown as solid dots.....	74
Fig. 3.25 (a) The real seismic peak data, (b) The peaks in (a) are shown as solid dots.....	78
Fig. 3.26 (a) The real seismic peak data; (b) The peaks in (a) are shown as solid dots.....	83
Fig. 3.27 (a) The seismogram at Mississippi Canyon; (b) The peak data of (a); (c) The peaks in (b) are shown as solid dots.....	90
Fig. 4.1 The process of cellular neural networks for seismic pattern recognition....	101
Fig. 4.2 Associative memory.....	102
Fig. 4.3 The connection relation of cells for designing associative memories ($r = 1$ and $n = 16$). The links represent the outputs of cells.....	104
Fig. 4.4 The dynamic routes of x_i	116
Fig. 4.5 (a) The first training pattern; (b) The second training pattern; (c) Testing Pattern.....	121
Fig. 4.6 (a) The 1st training pattern; (b) The 2nd training pattern; (c) The 3rd training pattern; (d) The 1st noisy input pattern; (e) The 2nd noisy input pattern; (f) The 3rd noisy input pattern.....	132
Fig. 4.7 (a) Output of Fig. 4.6(d); (b) Output of Fig. 4.6(e); (c) Output of	

Fig. 4.6(f).....	132
Fig. 4.8 (a) Energy curve of Fig. 4.6(d); (b) Energy curve of Fig. 4.6(e); (c) Energy curve of Fig. 4.6(f).....	132
Fig. 4.9 (a) Output of Fig. 4.6(d); (b) Output of Fig. 4.6(e); (c) Output of Fig. 4.6(f).....	133
Fig. 4.10 (a) Energy curve of Fig. 4.6(d); (b) Energy curve of Fig. 4.6(e); (c) Energy curve of Fig. 4.6(f).....	133
Fig. 4.11 (a) Output of Fig. 4.6(d); (b) Output of Fig. 4.6(e); (c) Output of Fig. 4.6(f).....	133
Fig. 4.12 (a) Energy curve of Fig. 4.6(d); (b) Energy curve of Fig. 4.6(e); (c) Energy curve of Fig. 4.6(f).....	133
Fig. 4.13 (a) Output of Fig. 4.6(d); (b) Output of Fig. 4.6(e); (c) Output of Fig. 4.6(f).....	134
Fig. 4.14 (a) Energy curve of Fig. 4.6(d); (b) Energy curve of Fig. 4.6(e); (c) Energy curve of Fig. 4.6(f).....	134
Fig. 4.15 (a) Output of Fig. 4.6(d); (b) Output of Fig. 4.6(e); (c) Output of Fig. 4.6(f).....	134
Fig. 4.16 (a) Energy curve of Fig. 4.6(d); (b) Energy curve of Fig. 4.6(e); (c) Energy curve of Fig. 4.6(f).....	135
Fig. 4.17 (a) Output of Fig. 4.6(d); (b) Output of Fig. 4.6(e); (c) Output of Fig. 4.6(f).....	135
Fig. 4.18 (a) Energy curve of Fig. 4.6(d); (b) Energy curve of Fig. 4.6(e); (c) Energy curve of Fig. 4.6(f).....	135
Fig. 4.19 (a) The 1st training pattern: sealevel fall; (b) The 2nd training pattern; (c) The noisy input pattern.....	136
Fig. 4.20 (a) Output of Fig. 4.19(c); (b) Energy curve.....	137
Fig. 4.21 (a) The 1st training pattern: bright-spot; (b) The 2nd training pattern: pinch-out; (c) The 1st noisy input pattern (HD = 100); (d) The 2nd noisy input pattern (HD = 90).....	138
Fig. 4.22 (a) Output of Fig. 4.21(c); (b) Output of Fig. 4.21(d); (c) Energy curve of Fig. 4.21(c); (d) Energy curve of Fig. 4.21(d).....	138
Fig. 4.23 (a) Output of Fig. 4.21(c); (b) Output of Fig. 4.21(d); (c) Energy curve of Fig. 4.21(c); (d) Energy curve of Fig. 4.21(d).....	139
Fig. 4.24 (a) Output of Fig. 4.21(c); (b) Output of Fig. 4.21(d); (c) Energy curve of Fig. 4.21(c); (d) Energy curve of Fig. 4.21(d).....	139
Fig. 4.25 (a) The 1st training pattern: bright-spot; (b) The 2nd training pattern: right pinch-out; (c) The 3rd training pattern: left pinch-out.....	140
Fig. 4.26 (a) ~ (c) Three noisy input patterns with HD = 107, 118, 118	

respectively.....	141
Fig. 4.27 (a) Output of Fig. 4.26(a); (b) Output of Fig. 4.26(b); (c) Output of Fig. 4.26(c); (d) Energy curve of Fig. 4.26(a); (e) Energy curve of Fig. 4.26(b); (f) Energy curve of Fig. 4.26(c).....	141
Fig. 4.28 (a) Output of Fig. 4.26(a); (b) Output of Fig. 4.26(b); (c) Output of Fig. 4.26(c); (d) Energy curve of Fig. 4.26(a); (e) Energy curve of Fig. 4.26(b); (f) Energy curve of Fig. 4.26(c).....	142
Fig. 4.29 (a) Output of Fig. 4.26(b); (b) Energy curve of Fig. 4.26(b).....	142
Fig. 4.30 (a) Output of Fig. 4.26(a) by Hopfield associative memory; (b) Output of Fig. 4.26(b) by Hopfield associative memory; (c) Output of Fig. 4.26(c) by Hopfield associative memory.....	143
Fig. 4.31 (a) ~ (e) Five training patterns.....	144
Fig. 4.32 (a) ~ (e) Five noisy input patterns with HD = 100, 90, 100, 100, 100 respectively.....	144
Fig. 4.33 (a) Output of Fig. 4.32(a); (b) Output of Fig. 4.32(b); (c) Output of Fig. 4.32(c); (d) Output of Fig. 4.32(d); (e) Output of Fig. 4.32(e); (f) Energy curve of Fig. 4.32(a); (g) Energy curve of Fig. 4.32(b); (h) Energy curve of Fig. 4.32(c); (i) Energy curve of Fig. 4.32(d); (j) Energy curve of Fig. 4.32(e).....	145
Fig. 4.34 (a) Output of Fig. 4.32(a); (b) Output of Fig. 4.32(c); (c) Output of Fig. 4.32(e); (d) Energy curve of Fig. 4.32(a); (e) Energy curve of Fig. 4.32(c); (f) Energy curve of Fig. 4.32(e).....	146
Fig. 4.35 (a) Output of Fig. 4.32(a) by Hopfield associative memory; (b) Output of Fig. 4.32(b) by Hopfield associative memory; (c) Output of Fig. 4.32(c) by Hopfield associative memory; (d) Output of Fig. 4.32(d) by Hopfield associative memory; (e) Output of Fig. 4.32(e) by Hopfield associative memory.....	147
Fig. 4.36 Two training patterns.....	148
Fig. 4.37 (a) The first real seismic pattern; (b) Coordinates of successful recognition; (c) Output of (a).....	149
Fig. 4.38 (a) The second real seismic pattern; (b) Coordinates of successful recognition; (c) Output of (a).....	149
Fig. 4.39 (a) The third real seismic pattern; (b) Coordinates of successful recognition; (c) Output of (a).....	149
Fig. 4.40 Two training patterns.....	150
Fig. 4.41 One noisy input pattern.....	150
Fig. 4.42 (a) Output of Fig. 4.41 if $r = 1$; (b) Energy curve of Fig. 4.41 if $r = 1$	150
Fig. 4.43 (a) Output of Fig. 4.41 if $r = 2$; (b) Energy curve of Fig. 4.41 if $r = 2$	151

Fig. 4.44 Example of the indefinite cell.....151

Fig. 4.45 The dynamic routes of cell C_2 152

Fig. 4.46 DT-CNN for associative memory using two-dimensional discrete Walsh transform.....154

Fig. 4.47 If $r = 2$, the neighborhoods of C_2 in two training patterns.....154

Fig. 4.48 The algorithm searching indeterminate cells.....155

Fig. 5.1 (a) ~ (e) Five training patterns.....168

Fig. 5.2 (a) ~ (e) Five noisy input patterns.....169

Fig. 5.3 (a) ~ (e) The recognition results of Fig. 5.2(a) ~ (e) outputted by the first-order CNN associative memory.....169

Fig. 5.4 (a) ~ (e) The recognition results of Fig. 5.2(a) ~ (e) outputted by the second-order CNN associative memory.....170



List of Tables

Table 3.1 The coordinates of the first kind of distribution situation.....	18
Table 3.2 The coordinates of the second kind of distribution situation.....	19
Table 3.3 The coordinates of the third kind of distribution situation.....	20
Table 3.4 The coordinates of the fourth kind of distribution situation.....	21
Table 4.1 Comparison of three systems for Experiment 2.....	137
Table 4.2 Comparison of three systems for Experiment 3.....	140
Table 4.3 Comparison of three systems for Experiment 4.....	143
Table 4.4 Comparison of three systems for Experiment 5.....	147

