

## Outline of Contents

Abstract (in Chinese)	I
Abstract (in English)	III
Acknowledgments	V
Outline of Contents	VI
List of Tables	IX
List of Figures	X
Chapter 1 Introduction	
1.1 Atom Transfer Radical Polymerization	1
1.1.1 Mechanistic Understandings of ATRP	1
1.1.2 Typical Phenomenology for ATRP	2
1.1.3 Composition for ATRP	4
1.1.4 Applications of ATRP	8
1.2 Polymer Miscibility and Interaction	9
References	11
Chapter 2 Miscibility Behavior and Interactions of Poly(hydroxyethyl methacrylate)/ Poly(vinylpyrrolidone) Blends and Poly(hydroxyethyl methacrylate)-b- Poly(vinylpyrrolidone)	
Abstract	12
2.1 Introduction	13
2.2 Experimental Section	15
2.2.1 Materials	15
2.2.2 Characterization	15

2.2.3	Synthesis of Difunctional Initiator	16
2.2.4	Polymerization Procedures	17
2.2.5	Blend Preparation	18
2.3	Results and Discussion	19
2.3.1	Polymer Characterization	19
2.3.2	DSC Analyses	19
2.3.3	FT-IR Analyses	20
2.3.4	Solid-state NMR Analyses	22
2.4	Conclusions	24
	References	31
<p>Chapter 3 Miscibility Behavior and Interactions of Linear and Four-Arm Poly(tert-butyl acrylate)/Polybenzoxazines Blends</p>		
	Abstract	32
3.1	Introduction	33
3.2	Experimental Section	35
3.2.1	Materials	35
3.2.2	Characterization	35
3.2.3	Synthesis of Tetrafunctional Initiator	36
3.2.4	Polymerization Procedures	37
3.2.5	Blend Preparation	38
3.3	Results and Discussion	39
3.3.1	DSC Analyses	39
3.3.2	FT-IR Analyses	39
3.3.3	Solid-state NMR Analyses	40



3.4	Conclusions	42
	References	48
Chapter 4 Influence of Specific Interactions of Polyhedral Oligomeric Silsesquioxanes- Containing Poly(methyl methacrylate)/Phenolic Blends		
	Abstract	49
4.1	Introduction	50
4.2	Experimental Section	53
	4.2.1 Materials	53
	4.2.2 Characterization	53
	4.2.3 Synthesis of Initiator	54
	4.2.4 Syntheses of Polymer	54
	4.2.5 Blend Preparation	55
4.3	Results and Discussion	56
	4.3.1 DSC Analyses	56
	4.3.2 FT-IR Analyses	57
	4.3.3 2D IR Analyses	59
4.4	Conclusions	61
	References	70
	Chapter 5 Conclusions	71
	Introduction to Author	72



## List of Tables

- Table 2.1 Summary of synthesis parameters, molecular weight data, and cloud points for HEMA homopolymers. (prepared via ATRP in methanol at 25°C) 25
- Table 2.2 Summary of molecular weight data and cloud points for HEMA and NVP diblock copolymers. (prepared via conventional radical polymerization at 70 °C) 25
- Table 2.3 Carbonyl group curve-fitting results of the (a) blends and (b) diblock copolymers. 25
- Table 2.4 Relaxation times,  $T_{1\rho}^H$ , and domain size for (a) blends and (b) diblock copolymers at the magnetization intensities of 60 ppm. 26
- Table 3.1 Carbonyl group curve-fitting results of the (a) linear PtBA and (b) four-arm PtBA/PBZZ blends. 43
- Table 3.2 Relaxation times,  $T_{1\rho}^H$ , for (a) linear PtBA and (b) four-arm PtBA/PBZZ blends at the magnetization intensities of 127 ppm. 43
- Table 2.1 Carbonyl group curve-fitting results of the (a) LPMMA, (b) POSS-LPMMA, (c) HPMMA, and (d) POSS-HPMMA /phenolic blends. 62

## List of Figures

- Figure 1.1 Schematic representation of the dependence of the conversion on time in linear and semilogarithmic coordinates. 3
- Figure 1.2 Monomers for ATRP. 5
- Figure 1.3 Initiators for ATRP. 6
- Figure 1.4 Metal catalysts for ATRP. 6
- Figure 1.5 Ligands for copper catalysts. 7
- Figure 1.6 Schematic representation of controlled topologies, compositions, functionalities and molecular composites prepared by ATRP. 8
- Figure 2.1 The DSC curves of the (a) blends and (b) diblock copolymers with different compositions (weight ratio). 27
- Figure 2.2 The  $T_g$  vs. composition curves based on (a) the Gordon-Taylor equation, (b) the Kwei equation for blends system, (c) the Kwei equation for diblock copolymers system, (■) experimental date of the blends, and (●) experimental date of the diblock copolymers system. 28
- Figure 2.3 FTIR spectra at room temperature in the 2700-3700  $\text{cm}^{-1}$  region for (a) blends and (b) diblock copolymers with different compositions (weight ratio). 28
- Figure 2.4 FTIR spectra at room temperature in the 1620-1780  $\text{cm}^{-1}$  region for (a) blends and (b) diblock copolymers with different compositions (weight ratio). 29
- Figure 2.5 The fraction of hydrogen bonded carbonyl vs. PHEMA content for (a) blends (■) and (b) diblock copolymers (○) from FTIR spectra. 29
- Figure 2.6  $^{13}\text{C}$  CP/MAS NMR for (a) blends and (b) diblock copolymers with different compositions (weight ratio). 30

- Figure 2.7 Logarithmic plots of the intensities of 60 ppm vs. delay time for (a) blends 30  
and (b) diblock copolymers with different compositions (weight ratio).
- Figure 3.1 The DSC curves of the (a) linear and (b) four-arm PtBA/PBZZ with different 44  
compositions (weight ratio).
- Figure 3.2 The  $T_g$  vs. composition curves based on (a) the Gordon-Taylor equation, (b) 45  
the Kwei equation for linear PtBA/PBZZ, (c) the Kwei equation for four-arm  
PtBA/PBZZ, (■) experimental data of the linear PtBA/PBZZ, and (●)  
experimental data of the four-arm PtBA/PBZZ.
- Figure 3.3 FTIR spectra at room temperature in the 1690-1780  $\text{cm}^{-1}$  region for (a) linear 45  
and (b) four-arm PtBA/PBZZ with different compositions (weight ratio).
- Figure 3.4 The fraction of hydrogen bonded carbonyl vs. PBZZ content for (a) linear 46  
PtBA/PBZZ (■), and (b) four-arm PtBA/PBZZ (○), from FTIR spectra.
- Figure 3.5  $^{13}\text{C}$  CP/MAS NMR for (a) linear and (b) four-arm PtBA/PBZZ with different 46  
compositions (weight ratio).
- Figure 3.6  $^{13}\text{C}$  CP/MAS NMR Chemical shift of 174 and 127 ppm of blends with 47  
different compositions (weight ratio)
- Figure 3.7 Logarithmic plots of the intensities of 127 ppm vs. delay time for (a) linear 47  
and (b) four-arm PtBA/PBZZ with different compositions (weight ratio).
- Figure 4.1 The  $^1\text{H}$ -NMR spectra of (a) POSS-Cl, (b) POSS-PMMA, and (c) PMMA. 64
- Figure 4.2 The DSC curves of (a) LPMMA, (b) POSS-LPMMA, (c) HPMMA, and (d) 64  
POSS-HPMMA/phenolic blends with different compositions (weight ratio).

Figure 4.3 The  $T_g$  vs. composition curves based on (a) the Gordon-Taylor equation, (b) 65 the Kwei equation for POSS-LPMMA/phenolic blends, (c) the Kwei equation for LPMMA/phenolic blends, (■) experimental data of LPMMA/phenolic blends, and (●) experimental data of POSS-LPMMA/phenolic blends.

Figure 4.4 The  $T_g$  vs. composition curves based on (a) the Gordon-Taylor equation, (b) 65 the Kwei equation for POSS-HPMMA/phenolic blends, (c) the Kwei equation for HPMMA/phenolic blends, (■) experimental data of HPMMA/phenolic blends, and (●) experimental data of POSS-HPMMA/phenolic blends.

Figure 4.5 FTIR spectra at room temperature in the 2700-3700  $\text{cm}^{-1}$  region for (a) 66 LPMMA, (b) POSS-LPMMA, (c) HPMMA, and (d) POSS-HPMMA/phenolic blends with different compositions (weight ratio).

Figure 4.6 FTIR spectra at room temperature in the 1675-1765  $\text{cm}^{-1}$  region for (a) 67 LPMMA, (b) POSS-LPMMA, (c) HPMMA, and (d) POSS-HPMMA/phenolic blends with different compositions (weight ratio).

Figure 4.7 The fraction of hydrogen bonded carbonyl vs. phenolic content for (a) 68 LPMMA/phenolic (■), (b) POSS-LPMMA/phenolic (●), (c) HPMMA/phenolic (□), and (d) POSS-HPMMA/phenolic blends (○), from FTIR spectra.

Figure 4.8 2D IR spectra at room temperature for (a) LPMMA/phenolic blends in the 69 1250-1800 $\text{cm}^{-1}$  region, (b) POSS-LPMMA/phenolic blends in the 400-1150  $\text{cm}^{-1}$  region, and (c) POSS-LPMMA/phenolic blends in the 1150-1800  $\text{cm}^{-1}$  region.

Figure 4.9 2D IR spectra at room temperature for (a) HPMMA/phenolic and (b) 69 POSS-HPMMA/phenolic blends in the 1150-1750  $\text{cm}^{-1}$  region.