

## REFERENCES

### Chapter 1

1. N. A. Olsson and J. P Van Der Ziel, "Performance characteristics of 1.5- $\mu\text{m}$  external cavity semiconductor lasers for coherent optical communication," *J. Lightwave Technol.*, vol. LT-5, no. 4, pp. 510-515, April 1987.
2. J. Mellis, S. A. Al-chalabi, K. H. Cameron, R. Wyatt, J. C. Regnault, W. J. Devlin, and M. C. Brain, "Miniature packaged external-cavity semiconductor laser with 50 GHz continuous electrical range," *Electron. Lett.*, vol. 24, no. 16, pp. 988-989, August 1988.
3. Quang-Viet Nguyen, Robert W. Dibble and Timothy Day, "High resolution oxygen absorption spectrum obtained with an external cavity continuously tunable diode laser," *Opt. Lett.*, vol. 19, no. 24, pp. 2134-2136, December 1994.
4. Lars Hildebrandt, Richard Knispel, Sandra Stry, Joachim R. Sacher, and Frank Schael, "Antireflection-coated blue GaN laser diodes in an external cavity and Doppler-free indium absorption spectroscopy," *Appl. Opt.*, vol. 42, no. 12, pp. 2110-2118, April 2003.
5. Sheng-Hua Lu, Ching-I Chiueh, and Cheng-Chung Lee, "Differential wavelength-scanning Heterodyne interferometer for measuring large step height", *Appl. Opt.*, vol. 41, issue 28, pp. 5866-5871, October 2002.
6. M. Ohtsu, K. Nakagawa, M. Kourogi, and W. Wang, "Frequency control of semiconductor lasers," *J. Appl. Phys.*, vol. 73, no. 12, pp. R1-R17, 1993.
7. M. Arditi, "A caesium beam atomic clock with laser optical pumping as a potential frequency standard," *Metrologia*, vol. 18, issue 2, pp. 59-66, April 1982.
8. P. Kersten, F. Mensing, U. Sterr, and F. Riehle, "A transportable optical calcium frequency standard," *Appl. Phys. B*, vol. 68, pp. 27-38, 1999.
9. Zhixia Chao, Jian Wu, Chunyong Yin, and Yi Xu, "633-nm tunable external-cavity diode laser with an intracavity glass plate as the fine-tuning device," *Opt. Eng.*, vol. 40, no. 5, pp. 801-804, May 2001.

### Chapter 2

10. M. W. Fleming and A. Mooradian, "Spectral Characteristics of external-cavity controlled semiconductor lasers," *IEEE J. Quantum Electron.*, vol. QE-17, no. 1, pp.44-59, January 1981.
11. L. Ricci, M. Weidemüller, T. Esslinger, A. Hemmerich, C. Zimmermann, V. Vuletic, W. König, and T. W. Hänsch, "A compact grating-stabilized diode laser system for atomic physics," *Opt. Commun.*, vol. 117, pp. 541-549, June 1995.
12. Michael G. Littman and Harnold J. Metcalf, "Spectrally narrow pulsed dye laser without beam expander," *Appl. Opt.*, vol. 17, no. 14, pp. 2224-2227, July 1978.
13. Paul Zorabe, William R. Trutna, and Leonard S. Cutler, "Bistability in grating-tuned external-cavity semiconductor lasers," *IEEE J. Quantum Electron.*, vol. QE-23, no. 11, pp. 1855-1860, November 1987.
14. M. Merimaa, H. Talvite, P. Laakkonen, M. Kuttinen, I. Tittonen, and E. Ikonen, "Compact external-cavity diode laser with a novel transmission geometry," *Opt.*

- Commun.*, vol. 174, pp. 175-180, 2000.
15. C. J. Hawthorn, K. P. Weber, and R. E. Scholten, "Littrow configuration tunable external cavity diode laser with fixed direction output," *Rev. Sci. Instrum.*, vol. 72, no. 12, pp.4477-4479, December 2001.
  16. A. S. Arnold, J. S. Wilson, and M. G. Boshier, "A simple extended-cavity diode laser," *Rev. Sci. Instrum.*, vol. 69, no. 3, pp.1236-1239, March 1998.
  17. Toni Laurila, Timo Joutsenoja, Rolf Hernberg, and Markku Kuittinen, "Tunable external-cavity diode laser at 650 nm based on a transmission diffraction grating," *Appl. Opt.*, vol. 41, no. 27, pp. 5632-5637, September 2002.
  18. A. Andalkar, S. K. Lamoreaux, and R. B. Warrington, "Improved external cavity design for D1 (894 nm) diode laser," *Rev. Sci. Instrum.*, vol. 71, no. 11, pp. 4029-4031, November 2000.
  19. Carl E. Wieman and Leo Hollberg, "Using diode lasers for atomic physics," *Rev. Sci. Instrum.*, vol. 62, no. 1, pp. 1-20, January 1991.
  20. K. C. Harvey and C. J. Myatt, "External-cavity diode laser using a grazing-incidence diffraction grating," *Opt. Lett.*, vol. 16, no. 12, pp. 910-912, June 1991.
  21. Jörg Zimmermann, Jens Struckmeier, Martin R. Hofmann, and Jan-Peter Meyn, "Tunable blue laser based on intracavity frequency doubling with a fan-structured periodically poled LiTaO<sub>3</sub> crystal," *Opt. Lett.*, vol. 27, no. 8, pp. 604-606, April 2002.
  22. Shigenori Mattori, Takanori Saitoh, Shigeru Kinugawa, Hitoshi Kameyama, Toshiyuki Ozaki, and Junkichi Shirono, "AS mode hopping suppressed external-cavity semiconductor laser using feedback control," *IEICE Trans. Electron.*, vol. E85-C, no. 1, pp. 98-102, January 2002.
  23. F. Favre and D. Le Guen, "82 nm of continuous tenability for an external cavity semiconductor laser," *Electron. Lett.*, vol. 27, no. 2, pp.183-184, January 1991.
  24. A. T. Schremer and C. L. Tang, "External-cavity semiconductor laser with 1000 GHz continuous piezoelectric tuning range," *IEEE Photon. Technol. Lett.*, vol. 2, no. 1, pp. 3-5, January 1990.
  25. D. Wandt, M. Laschek, K. Przyklenk, A. Tünemann, and H. Welling, "External cavity laser diode with 40 nm continuous tuning range around 825 nm," *Opt. Commun.*, vol. 130, pp. 1-84, September 1996.
  26. D. Wandt, M. Laschek, A. Tünemann, and H. Welling, "Continuously tunable external-cavity diode laser with a double-grating arrangement," *Opt. Lett.*, vol. 22, no. 6, pp. 390-392, March 1997.
  27. Kevin S. Repasky, Gregg W. Switzer, and John L. Carlsten, "Design and performance of a frequency chirped external cavity diode laser," *Rev. Sci. Instrum.*, vol. 73, no. 9, pp.3154-3158, September 2002.
  28. Timothy Day, Michael Brownell, and I-Fan Wu, "Widely tunable external cavity diode lasers", Application notes, New Focus, Inc. ([www.newfocus.com](http://www.newfocus.com))
  29. M. de Labacherie and G. Passadat, "Mode-hop suppression of Littrow grating-tuned lasers," *Appl. Opt.*, vol. 32, no. 3, pp. 269-274, January 1993.
  30. W. R. Trutna, Jr., and L. F. Stokes, "Continuously tuned external cavity semiconductor laser," *J. Lightwave Technol.*, vol. 11, no. 8, pp.1279-1286, August 1993.

31. Lars Nilse, Hillary J. davies, and Charles S. Adams, "Synchronous tuning of extended cavity diode lasers: the case for an optimum pivot point," *Appl. Opt.*, vol. 38, no. 3, pp. 548-553, January 1999.
32. Karen Liu and Michael Littman, "Novel geometry for single-mode scanning of tunable lasers," *Opt. Lett.*, vol. 6, no. 3, pp. 117-118, March 1981.
33. Patrick McNicholl and Harold J. Metcalf, "Synchronous cavity mode and feedback wavelength scanning in dye laser oscillators with grating," *Appl. Opt.*, vol. 24, no. 17, pp. 2757-2761, September 1985.
34. C. Voumard, "External-cavity-controlled 32-MHz narrow-band cw GaAlAs-diode lasers," *Opt. Lett.*, vol. 1, no. 2, pp. 61-63, August 1997.
35. M. J. Chawki, I. Valiente, R. Auffret, and V. Tholey, "All fibre, 1.5  $\mu\text{m}$  widely tunable single frequency and narrow linewidth semiconductor ring laser with fibre Fabry Perot filter," *Electron. Lett.*, vol. 29, no. 23, pp. 2034-2035, November 1993.
36. P. Zorabedian and W. R. Trutna, Jr., "Interference-filter-tuned, alignment-stabilized, semiconductor external-cavity laser," *Opt. Lett.*, vol. 13, no. 10, pp. 826-828, October 1988.
37. Jean-Pierre Goedgebuer, Salim Gurib, and Henri Porte, "Single frequency electrooptical tuning of an extended cavity diode laser at 1500 nm wavelength," *IEEE J. Quantum Electron.*, vol. 28, no. 6, pp. 1414-1418, June 1992.
38. B. Boggs, C. Greiner, T. Wang, H. Lin, and T. W. Mossberg, "Simple high-coherence rapidly tunable external-cavity diode laser," *Opt. Lett.*, vol. 23, no. 24, pp. 1906-1908, December 1998.
39. L. Ménager, L. Cabaret, L. Lorgeré, and J. -L. Le Gouët, "Diode laser extended cavity for broad-range fast ramping," *Opt. Lett.*, vol. 25, no. 17, pp. 1246-1248, September 2000.
40. L. Levin, "Mode-hop-free electro-optically tuned diode laser," *Opt. Lett.*, vol. 27, no. 4, pp. 237-239, February 2002.
41. M. Laschek, M. Reich, D. Wandt, W. Arens, C. Fallnich, and H. Welling, "External cavity diode laser with electrooptic wavelength tuning," *CLEO'99*, paper CTuK47, pp. 141-142, May 1999.
42. G. A. Coquin and K. W. Cheung, "Electronically tunable external-cavity semiconductor laser," *Electron. Lett.*, vol. 24, no. 10, pp. 599-600, May 1988.
43. G. Coquin, K. W. Cheung, and M. M. Choy, "Single- and multiple-wavelength operation of acoustooptically tuned semiconductor lasers at 1.3  $\mu\text{m}$ ," *IEEE J. Quantum Electron.*, vol. 25, no. 6, pp. 1575-1579, June 1989.
44. M. Kouroggi, K. Imai, B. Widyatmoko, T. Shimizu, and Ohtsu, "Continuous tuning of an electrically tunable external-cavity semiconductor laser," *Opt. Lett.*, vol. 25, no. 16, pp. 1165-1167, August 2000.
45. Jill Berger, Yongwei Zhang, John Grade, Howard Lee, Stephen Hrinia, Hal Jerman, Al Fennema, and Alex Tselikov, "Widely tunable external cavity diode laser based on a MEMS electrostatic rotary actuator," *OFC2001*, paper TuJ2, 2002.
46. X. M. Ahang, A. Q. Liu, D. Y. Tang, and C. Lu, "Discrete wavelength tunable laser using microelectromechanical systems technology," *Appl. Phys. Lett.*, vol. 84, no. 3, pp. 329-331, January 2004.

### Chapter 3

47. Benard Ferdinand Lyot, "Slitless spectrophotometer," U. S. Patent No. 2,718,170, September 1955.
48. Wilbur I. Kaye, "Liquid crystal tuned birefringent filter," U. S. Patent No. 4,394,069, July 1983.
49. Shin-Tson Wu, "Design of a liquid crystal based tunable electrooptic filter," *Appl. Opt.*, vol. 28, no. 1, pp. 48-52, January 1989.
50. Jackie Staromlynska, Simon M. Rees, and Michael P. Gillyon, "High-performance tunable filter," *Appl. Opt.*, vol. 37, no. 6, pp. 1081-1088, February 1998.
51. John R. Andrews, "Low voltage wavelength tuning of an external cavity diode laser using a nematic liquid crystal-containing birefringent filter," *IEEE Photon. Technol. Lett.*, vol. 2, no. 5, pp. 334-336, May 1990.
52. John R. Andrews, "Electronically tunable single-mode external-cavity diode laser," *Opt. Lett.*, vol. 16, no. 10, pp. 732-734, May 1991.
53. B. Wacogne, J. P. Goedgebuer, A. P. Onokhov, and M. Tomilin, "Wavelength tuning of a semiconductor laser using nematic liquid crystals," *IEEE Quantum Electron.*, vol. 29, no. 4, pp. 1015-1017, April 1993.
54. P. Mollier, V. Armbruster, H. Porte, and J. P. Goedgebuer, "Electrically tunable Nd<sup>3+</sup>-doped fibre laser using nematic liquid crystals," *Electron. Lett.*, vol. 31, no. 15, pp. 1248-1250, July 1995.
55. M. W. Maeda, J. S. Patel, Chinlon Lin, J. Horrobin, and R. Spicer, "Electronically tunable liquid-crystal-etalon filter for high-density WDM systems," *IEEE Photon. Technol. Lett.*, vol. 2, no. 11, pp. 820-822, November 1990.
56. M. W. Maeda, J. S. Patel, D. A. Smith, Chinlon Lin, M. A. Saifi, and A. Von Lehman, "An electronically tunable fiber laser with a liquid-crystal etalon filter as the wavelength-tuning element," *IEEE Photon. Technol. Lett.*, vol. 2, no. 11, pp. 787-789, November 1990.
57. Hiroyuki Tsuda, Katsuhiko Hirabayashi, Yuichi Tohmori, and Takashi Kurokawa, "Tunable light source using a liquid-crystal Fabry-Perot interferometer," *IEEE Photon. Technol. Lett.*, vol. 3, no. 6, pp. 504-506, June 1991.
58. Katsuhiko Hirabayashi Tsuda, and Takashi Kurokawa, "Tunable liquid-crystal Fabry-Perot interferometer filter for wavelength-division multiplexing communication systems," *J. Lightwave Technol.*, vol. 11, no. 12, pp. 2033-2043, December 1993.
59. S. T. Warr, M. C. Paker and R. J. Mears, "Optically transparent digitally tunable wavelength filter," *Electron. Lett.*, vol. 31, no. 2, pp. 129-130, January 1995.
60. M. C. Paker and R. J. Mears, "Digitally tunable wavelength filter and lasers," *IEEE Photon. Technol. Lett.*, vol. 8, no. 8, pp. 1007-1009, August 1996.
61. Ru-Pin Pan, Xiou-Xhi Tung, Jun-Yu Chen, Ming-Jay Huang, and Ci-Ling Pan, "Liquid-crystal-based tunable optical filtering devices for DWDM," in *Proc SPIE, Active and Passive Optical Components WDM Communication*, vol. 4532, pp. 244-248, 2001.
62. Ming-jay Huang, Ru-Pin Pan, Chia-Rong Sheu, Yu-Ping Lan, Yi-Fang Lai, and Ci-Ling Pan, "Multimode optical demultiplexer for DWDM with liquid crystal enabled functionalities," *IEEE Photon. Technol. Lett.*, vol. 16, no. 10, pp. 2254-2256, October

2004.

63. Ci-Ling Pan, Shang-Huang Tsai, Ru-Pin Pan, Chia-Reng Sheu, and S. C. Wang, "Tunable semiconductor laser with liquid crystal pixel mirror in grating-loaded external cavity," *Electron. Lett.*, vol. 35, no. 17, pp. 1472-1473, August 1999.
64. Ru-Pin Pan, H.-C Tang, Chia-Reng Sheu, Ming Jay Huang, and Ci-Ling Pan, "Wavelength tunable semiconductor laser with a liquid crystal pixel mirror," in *Proc. SPIE, Liquid Crystal Materials, Device VIII Applications*, vol. 4658, pp. 91-100, 2002.
65. J. Struckmeier, A. Euteneuer, B. Smarsly, M. Breede, M. Born, and M. Hofmann, "Electronically tunable external-cavity laser diode," *Opt. Lett.*, vol. 24, no. 22, pp. 1573-1574, November 1999.

#### Chapter 4

66. F. J. Durate, "Tunable External-Cavity Semiconductor Lasers," Chap.8 in *Tunable Lasers Handbook*, P. Zorabedian, Academic Press, Inc., CA, 1995.
67. S. Sivaprakasam, Ranita Saha, P. Anantha Lakshmi, and Ranjit Singh, "Mode hopping in external-cavity diode lasers", *Opt. Lett.*, vol. 21, no. 6, pp. 411-413, March 1996.
68. Marie Houssin, Bruno Fermiger, and Michel Desaintfuscien, "Simulation of the frequency behavior of external-cavity semiconductor lasers," *IEEE J. Quantum Electron.*, vol. 39, no. 7, pp. 833-837, July 2003.
69. M. Ohtsu, K. Y. Liou, E. C. Burrows, C. A. Burrus, and G. Eisenstein, "A simple interferometric method for monitoring mode hopping in tunable external-cavity semiconductor lasers," *J. Lightwave Technol.*, vol. 7, no. 1, pp. 68-76, January 1989.
70. P. G. De Gennes and J. Prost, "Liquid crystals: Main types and properties," Chap.1 in *The Physics of Liquid Crystals*, 2<sup>nd</sup> edition, Clarendon Press, Oxford, 1993.
71. Amnon Yariv and Pochi Yeh, "Jones calculus and its application to birefringent optical systems," Chap.5 in *Optical Waves in Crystals*, John Wiley & Sons, Inc., New York, 1984.
72. Oleg Kazharsky, Sergei Pakhomov, Alexander Grachev, Yuri Mironov, Igor Goncharov, and Alexander Matveev, "Broad continuous frequency tuning of a diode laser with an external cavity," *Opt. Commun.*, vol. 137, pp. 77-82, April 1997.
73. Takuya Nayuki, Takashi Fujii, Koshichi Nemoto, Mikio Kozuma, Motonobu Kourogi, and Motoichi Ohtsu, "Continuous wavelength sweep of external cavity 630 nm laser diode without antireflection coating on output facet," *Opt. Rev.*, vol. 5, no. 5, pp. 267-270, 1998.
74. C. Petridis, I. D. Lindsay, D. J. M. Stothard, and M. Ebrahimzadeh, "Mode-hop-free tuning over 80 GHz of an extended cavity diode laser without antireflection coating," *Rev. Sci. Instrum.*, vol. 72, no. 10, pp. 3811-3815, October 2001.

#### Chapter 5

75. Shin-Tson Wu, Chiung-Sheng Wu, Marc Warenghem, and Mimoun Ismaili, "Refractive index dispersions of liquid crystals," *Opt. Eng.*, vol. 32, no. 8, pp. 1775-1780, August 1993.

## Chapter 6

76. W. Demtröder, *Laser Spectroscopy: Basic Concepts and Instrumentation*, 2<sup>nd</sup> edition, New York, 1996.
77. Y. Saburi, Y. Koga, S. Kinugawa, T. Imamura, H. Suga and Y. Ohuchi, "Short-term stability of laser-pumped rubidium gas cell frequency standard," *Electron. Lett.* 14<sup>th</sup>, vol. 30, no. 8, pp. 633-635, April 1994.
78. Michel Têtu, Normand Cyr, Bernard Villeneuve, Sylvan Thériault, Marc Breton, and Pierre Tremblay, "Toward the realization of a wavelength standard at 780 nm based on a laser diode frequency locked to rubidium vapor," *IEEE Trans. Instrum. Meas.*, vol. 40, no. 2, pp. 191-195, April 1991.
79. G. P. Barwood, P. Gill, and W. R. C. Rowley, "Laser diode frequency stabilization to Doppler-free rubidium spectra," *Electron. Lett.* 23<sup>rd</sup>, vol. 24, no. 13, pp. 769-770, June 1988.
80. G. P. Barwood, P. Gill, and W. R. C. Rowley, "A simple rubidium-stabilised laser diode for interferometric applications," *J. Phys. E: Sci. Instrum.*, vol. 21, pp. 966-971, 1988.
81. Kristan L. Corwin, Zheng-Tian Lu, Carter F. Hand, Ryan J. Epstein, and Carl. E. Wieman, "Frequency-stabilized diode laser with the Zeeman shift in an atomic vapor," *Appl. Opt.*, vol. 37, no. 15, pp. 3295-3298, May 1998.
82. Ayan Banerjee, Dipankar das, and Vasant Natarajan, "Precise frequency measurements of atomic transitions by use of a Rb-stabilized resonator," *Opt. Lett.*, vol. 28, no. 17, pp. 1579-1581, September 2003.
83. G. Wasik, W. Gawlik, J. Zachorowski, and W. Zawadzki, "Laser frequency stabilization by Doppler-free magnetic dichroism," *Appl. Phys. B75*, issue 6/7, pp. 613-619, November 2002.
84. Tetsuhiko Ikegami, Shoichi Sudo, and Yoshihisa Sakai, *Frequency Stabilization of Semiconductor Laser Diodes*, Artech House, 1995.
85. Michel de Labachellerie, Christine Latrasse, Kédro Diomandé, Paulin Kemssu, and Pierre Cerez, "A 1.5- $\mu\text{m}$  absolutely stabilized extended-cavity semiconductor laser," *IEEE Trans. Instrum. Meas.* vol. 40, no. 2, pp. 185-190, April 1991.
86. N. A. Olsson and J. P. Van Der Ziel, "Performance characteristics of 1.5- $\mu\text{m}$  external cavity semiconductor lasers for coherence optical communication," *J. Lightwave Technol.*, vol. LT-5, no. 4, pp. 510-515, April 1987.
87. L. Ricci, M. Weidenmüller, and Petr Jedlička, "Tunable extended-cavity diode laser stabilized on iodine at  $\lambda=633\text{ nm}$ ," *Appl. Opt.*, vol. 39, no. 18, pp.3085-3088, June 2000.
88. Josef Lazar, Ondřej Číp, T. Esslinger, A. Hemmerich, C. Zimmermann, V. Vuletic, W. König, and T. W. Hänsch, "A compact grating-stabilized diode laser system for atomic physics," *Opt. Communi.*, vol. 117, pp. 541-549, June 1995.
89. B. Dahmani, L. Hollberg, and R. Drullinger, "Frequency stabilization of semiconductor lasers by optical feedback," *Opt. Lett.*, vol. 12, no. 11, pp. 876-878, November 1987.
90. K. B. macadam, A. Steinbach, and C. Wieman, "A narrow-band tunable diode laser system with grating feedback, and a saturated absorption spectrometer for Cs and Rb," *Am. J. Phys.*, vol. 60, no. 12, pp. 1098-1111, December 1992.
91. Sang Eon Park, Ho Seong Lee, Taeg Yong Kwon and Hyuck Cho, "Dispersion-like signals

- in velocity-selective saturated-absorption spectroscopy,” *Opt. Communi.*, vol. 192, pp. 49-55, May 2001.
92. C. Greiner, B. Boggs, T. Wang and T. W. Mossberg, “Laser frequency stabilization by means of optical self-heterodyne beat-frequency control,” *Opt. Lett.*, vol. 23, no. 16, pp. 1280-1282, August 1998.
  93. Seong-Ho Lee, Yoon-Kyoo Jhee, and Sang-Yung Shin, “Frequency stabilization of an external cavity laser diode using electrooptic effect,” *IEEE Photon. Technol. Lett.*, vol. 4, no. 3, pp.232-235, March 1992.
  94. M. Shirasaki, “Temperature insensitive design of Fabry-Perot etalon,” *IEEE Photon. Technol. Lett.*, vol.11, no. 11, pp. 1431-1433, November 1999.
  95. K. Kuboki and M. Ohtsu, “An Allan variance real-time processing system for frequency stability measurements of semiconductor lasers,” *IEEE Trans. Instrum. Meas.* vol. 39, no. 4, pp. 637-641, August 1990.
  96. M. De Labachellerie and P. Cerez, “An 850 nm semiconductor laser tunable over 300 Å range,” *Opt. Communi.*, vol. 55, no. 3, pp. 174-177, September 1985.
  97. Ariel Bruner, Ady Arie, Mark A. Arbore, and Martin M. Fejer, “Frequency stabilization of a diode laser at 1540 nm by locking to sub-Doppler lines of potassium at 770 nm,” *Appl. Opt.*, vol. 37, no. 6, pp.1049-1052, February 1998.
  98. A. Danielli, P. Rusian, and A. Arie, M. H. Chou and M. M. Fejer, “Frequency stabilization of a frequency-doubled 1556-nm source to the  $5S_{1/2}$ - $5D_{5/2}$  two-photon transitions of rubidium,” *Opt. Lett.*, vol. 25, no. 12, pp. 905-907, June 2000.
  99. Jinendra K. Ranka, Robert S. Windeler, and Andrew J. Stens, “Visible continuum generation in air silica microstructure optical fibers with anomalous dispersion at 800 nm,” *Opt. Lett.*, vol. 25, no. 1, pp. 25-27, January 2000.
  100. H. Ahn, R. –H. Shu, R. S. Windeler, and J. –L. Peng, “Building a frequency-stabilized femtosecond laser for optical frequency metrology,” *IEEE Trans. Instrum. Meas.*, in press.
  101. Nathaniel J. C. Libatique, Li Wang, and Ravi K. Jain, “Single-longitudinal-mode tunable WDM-channel-selectable fiber laser,” *Opt. Exp.*, vol. 10, no. 25, pp.1503-1507, December 2002.
  102. Tsung-Sheng Shih, Yu-Ping Lan, Yea-Feng Lin, Ru-Pin Pan, and Ci-Ling Pan, “Single-longitudinal-mode semiconductor laser with digital and mode-hop-free fine-tuning mechanisms,” *Opt. Exp.*, vol. 12, no. 26, pp. 6434-6439, December 2004.
  103. K. H. Yang, “Measurements of empty cell gap for liquid-crystal displays using interferometry methods,” vol. 64, no. 9, pp. 4780-4781, November 1988.
  104. K. Y. Yang and H. Takano, “Measurements of twisted nematic cell gap by spectral and split-beam interferometric methods,” *J. Appl. Phys.*, vol. 67, no. 1, pp. 5-9, January 1990.
  105. Shyu-Mou Chen, Ru-Pin Pan, and Ci-Ling Pan, “Interferometric measurements of the thickness of nematic liquid crystal films with a free surface,” *Appl. Opt.*, vol. 28, pp. 4969 – 4971, 1989.
  106. A. Lien and H. Takano, “Cell gap measurement of filled twisted nematic liquid crystal displays by a phase compensation method,” *J. Appl. Phys.*, vol. 69, no. 3, pp. 1304-1309, February 1991.

107. Hiap Liew Ong, "Cell thickness and surface pretilt angle measurements of a planar liquid-crystal cell with obliquely incident light," *J. Appl. Phys.*, vol. 71, no. 1, pp. 140-144, January 1992.
108. Seo Hern Lee, Won Sang Park, Gi-Dong Lee, Kwan-Young Han, Tae-Hoon Yoon, and Jae Chang Kim, "Low-cell-gap measurement by rotation of a wave retarder," *Jpn. J. Appl. Phys.*, vol. 41, no. 1, pp. 379-383, January 2002.
109. Marenori Kawamura, Yoshiaki Goto, and Susumu Sato, "Two-dimensional measurements of cell parameter distributions in reflective liquid crystal displays by using multiple wavelengths Stokes parameters," *J. Appl. Phys.*, vol. 95, no. 8, pp. 4371-4375, April 2004.
110. Zhan He, Ying Zhou, and Susumu, "A two-dimensional Stokes parameter method for determination of cell thickness and twist angle distributions in twisted nematic liquid crystal devices," *Jpn. J. Appl. Phys.*, vol. 37, no. 4A, pp. 1982-1988, April 1998.
111. Jin Seog Gwag, Kyoung-Ho Park, Gi-Dong Lee, Tae-Hoon Yoon, and Jae Chang Kim, "Simple cell gap measurement method for twisted-nematic liquid crystal cells," *Jpn. J. Appl. Phys.*, vol. 43, no. 1A/B, pp. L30-L32, 2004.
112. Xinyu Zhu, Wing-Kit Choi, and Shin-Tson Wu, "A simple method for measuring the cell gap of a reflective twisted nematic LCD," *IEEE Trans. Electron Dev.* vol. 49, no. 11, pp. 1863-1867, November 2002.
113. Jong Seok Chae and Soo Gil Moon, "Cell parameter measurement of a twisted-nematic liquid crystal cell by the spectroscopic method," *J. Appl. Phys.*, vol. 95, no. 7, pp. 3250-3254, April 2004.
114. S. T. Tang and H. S. Kwok, "Transmissive liquid crystal cell parameters measurement by spectroscopic ellipsometry," *J. Appl. Phys.*, vol. 89, no. 1, pp. 80-85, January 2001.
115. Gi-Dong Lee, Tae-Hoon Yoon, and Jae Chang Kim, "Cell gap measurement method for single-polarizer reflective liquid crystal cells," *Jpn. J. Appl. Phys.*, vol. 40, no. 5A, pp. 3330-3331, May 2001.
116. Yu-Ping Lan, Ru-Pin Pan and Ci-Ling Pan, "Mode-hop-free fine-tuning of an external cavity diode laser with an intracavity liquid crystal cell," *Opt. Lett.*, vol. 29, no. 15, pp. 510-512, March 2004.
117. Ru-Pin Pan, Shyang-Rong Liou, and Chao-Ken Lin, "Voltage-controlled optical fiber coupler using a layer of low-reflective-index liquid crystal with positive dielectric anisotropy," *Jpn. J. Appl. Phys.*, vol. 34, no. 12A, pp. 6410-6415, December 1995.
118. Ci-Ling Pan, Ru-Pin Chao, and Yu-Ping Lan, "A multi-wavelength external-cavity laser with digital and mode-hop-free fine tuning mechanisms," TW patent no. 223484.