

第六章 參考文獻

- [1] Alexander Hellemans, "IBM Researchers Devise Nanotube ICs", IEEE Spectrum, June 26, 2001.
- [2] M. S. Dresselhaus, and G. Dresselhaus, Ph. Avouris (Eds.): Carbon Nanotubes, Topics Appl. Phys. Springer-Verlag Berlin Heidelberg, 80, 391, 2001.
- [3] International Technology Roadmap for Semiconductors :
<http://public.itrs.net/>
- [4] S.J. Tans, A.R.M. Verschueren, C. Dekker, Nature, 393, 29, 1998.
- [5] A. Javey, H. Kim, M. Brink, Q. Wang, A. Ural, J. Guo, et al, Nature Mater., 1, 241, 2002.
- [6] B.Q. Wei, R. Vajtai, P.M. Ajayan, Appl. Phys. Lett. 79, 1173, 2001.
- [7] Tobias Hertel, Robert E. Walkup, and Phaedon Avouris, Physical Review B, 58, Number 20, 1998.
- [8] Young-Gui Yoon, Mario S. C. Mazzoni, Hyoung Joon Choi, Jisoon Ihm, and Steven G. Louie, Physical Review Letters, 86, Number 4, 22, 2001.
- [9] Tobias Hertel, Richard Martel, and Phaedon Avouris, J. Phys. Chem. B, 102, 910-915, 1998.
- [10] Changchun Zhu, Chunyu Wu and Weihua Liu, IEEE, pp. 537-539, 2000.
- [11] Hui Lin Chang, Chao Hsun Lin, Cheng Tzu Kuo, Diamond and Related Materials, 11 pp. 793-798, 2002.
- [12] H. W. Kroto, J. R. Heath, S.C.O'Brien, R.F.Curl, R.E. Smalley, Nature, 318, 162, 1985.
- [13] S. Iijima, Nature, 354, 56, 1991.
- [14] A. Hirsch, Angew. Chem. Int. Ed, 41, 1853, 2002.
- [15] MS Dresselhaus, G Dresselhaus, R Satio, Carbon, 33, pp. 883-891, 1995.
- [16] W. A. de Heer, Science, 270, 1179, 1995.
- [17] Y.I. Prylutskyy et al., Computational Materials Science, 17, pp. 352-355, 2000.
- [18] Valentin N. Popov, Materials Science and Engineering, 43, 3, pp. 61-102, 2004.
- [19] T. W. Ebbesen, H. J. Lezec, H. Hiura, J. W. Bennett, H. F. Ghaemi, T. Thio, Nature, 382, 54, 1996.

- [20] J. Hone et al., Synthetic Metals, 103, 2498, 1999.
- [21] R. T. K. Baker, P. S. Harries, Chem. Phys. Carbon, Marcel Dekker, New York, 83, 1978.
- [22] Y.Saito, T. Yoshikawa, M. Inagaki, M. Tomita, T Hayashi, Chem. Phys. Lett, 304, 277, 1999.
- [23] A. Oberlin, M. Endo, T. Koyama, Carbon, 14, 133, 1976.
- [24] A. Oberlin, M. Endo, T. Koyama, J. Cryst. Growth, 32, 335, 1976.
- [25] T. Baird, J. R. Fryer, B. Giant, Carbon, 12, 591, 1974.
- [26] R. T. K. Baker, J. J. Chludzinski, Journal of Catalysis, 64, 464, 1980.
- [27] A. Thess, P. Nikolaev, H. Dai, C. Xu, A. G. Rinzler, D. T. Colbert, G. E. Scuseria, R. E. Smalley, Science, 273, 5274, pp. 483-487, 1996.
- [28] T. Guo, P. Nikolaev, A. Thess, D. T. Colbert, R. E. Smalley, Chem. Phys. Lett, 243, 49, 1995。
- [29] Philip G. Collins,Keith Bradley, Masa Ishigami, A. Zettl, Science, 287, 2000.
- [30] J.H. Yen, I.C. Leu, C.C. Lin, M.H. Hon, Diamond and Related Materials, 13, pp. 1237–1241, 2004.
- [31] S.G. Wang, Q. Zhang, S.F Yoon, J. Ahn, Scripta Material, 48, 4, pp. 409-412, 2003.
- [32] R.M Liu, J.M Ting, Materials Chemistry and Physics, 82, 3, pp.571-574, 2003.
- [33] M. Chen, C.M Chen, C.F Chen, Thin Solid Films, 420, pp.230-234, 2002.
- [34] 鄭木棋,「奈米碳管元件之製作與分析」,中央大學,碩士論文,

民國九十三年

- [35] L. T. Chadderton and Y. chen, “A model for the growth of bamboo and skeletal nanotubes: catalytic capillarity,” Journal of crystal Growth, 240, pp. 164-169, 2002.
- [36] N.M Rodriguez,“A review of catalytically grown carbon nanofibers”, J. Mater. Res. 8, pp. 3233-3250, 1993.

- [37] Y. C. Choi, Y. M. Shin, S. C. Lim, D. J. Bae, Y. H. Lee, B. S. Lee, D. C. Chung, “Effect of surface morphology of Ni thin film on the growth of aligned carbon nanotubes by microwave plasma-enhanced chemical vapor deposition”, Journal of Applied Physics, 88, 4898, 2000.
- [38] E. F. Kukovitsky, S. G. Lvov, N. A. Sainov, V. A. Shustov, L. A. Chernozatonskii, “Correlation between metal catalyst particle size and carbon nanotube growth”, Chem. Phys. Lett, 355, 497, 2002.
- [39] Y. C. Choi, D. J. Bae, Y. H. Lee, B. S. Lee, I. T. Han, W. B. Choi, N. S. Lee, J. M. Kim, “Low temperature synthesis of carbon nanotube by microwave plasma-enhanced chemical vapor deposition ”, Synthetic Metals, 108, pp. 159-163, 2000.
- [40] X. Wang, Z. Hu, Q. Wu, X. Chen, Y. Chen, “Synthesis of multi-walled carbon nanotubes by microwave plasma-enhanced chemical vapor deposition”, Thin Solid Films, 390, pp. 130-133, 2001.
- [41] J. H. Han, S. H. Choi, T. Y. Lee, J. B. Yoo, C. Y. Park, H. J. Kim, I. T. Han, S. Yu, W. Yi, G. S. Park, M. Yang, N. S. Lee, J. M. Kim, “Effects of growth parameters on the selective area growth of carbon nanotubes”, Thin Solid Films, 409, 126, 2002.
- [42] Y. S. Woo, D. Y. Jeon, I. T. Han, N. S. Lee, J. E. Jung, and J. M. Kim, “In situ diagnosis of chemical species for the growth of carbon nanotubes in microwave plasma-enhanced chemical vapor deposition”, Diamond and Related Materials, 11, 59, 2002.
- [43] U. Kim, R. Pcionek, D. M. Aslam, D. Tomanek, “Synthesis of high-density carbon nanotube films by microwave plasma chemical vapor deposition”, Diamond and Related Materials, 10, 1947, 2001.
- [44] W. D. Zhang, J. T. L. Thong, W. C. Tjiu, L. M. Gan, “Fabrication of vertically aligned carbon nanotubes patterns by chemical vapor deposition for field emitters”, Diamond and Related Materials, 11 1638, 2002.
- [45] Y. H. Wang, J. Lin, C. H. A. Huan, “Synthesis of large area aligned carbon nanotube arrays from C₂H₂-H₂ mixture by RF plasma-enhanced chemical vapor deposition ”, Appl. Phys. Letts, 79, 680, 2001.

- [46] M Tanemura, K. Iwata., K. Takahashi, Y. Fujimoto, "Growht of aligned carbon nanotube by plasma-enhanced chemical vapor deposition : Optimization of growth parameters", J Appl.Phys, 90, 1529, 2001.
- [47] A. P. Burden, S. R.P. Silva, "Fullerene and nanotube formation in cool terrestrial dusty plasmas", Appl. Phys. Lett, 73, 3082, 1998.
- [48] C. Bower, W. Zhu, S. Jin, O.Zhou, "Plasma-induced alignment of carbon nanotube", Appl.Phys.Lett, 77, 830, 2000.
- [49] A.P. Graham, G.S. Duesberg, R. Seidel, M. Liebau, et al, Diamond and Related Materials, 13, 1296, 2004.
- [50] F. Kreupl, A.P. Graham, G.S. Duesberg, et al, Microelectronic Engineering, 64, pp. 399-408, 2002.
- [51] J. Li, Q. Ye, A. Cassell, et al, Appl. Phys. Lett, 82, 15, 2003.
- [52] A. Naeemi, R. Sarvari, J.D. Meindl, IEEE Electron Device Letters, 26, 2, 2005.
- [53] A. Naeemi, J.D. Meindl, IEEE Electron Device Letters, 26, 8, 2005.
- [54] S.M. Rossnagel, T.S. Kaun, J. Vac. Sci. Technol. B, Microelectron. Process. Phenom., 22, 1, pp. 240-247, 2004.
- [55] B. Q. Wei, R. Vajtai, P. M. Ajayan, "Reliability and current carrying capacity of carbon nanotubes", Appl. Phys. Lett, 79, 1172, 2001.
- [56] H. M. Cheng, Q. H. Yang, C. Liu, "Hydrogen storage in carbon nanotubes", Carbon, 39, 1447, 2001.
- [57] D. W. Austin, A. Puretzky, D. B. Geohegan, P. F. Britt, M. A. Guillorn, M. L. Simpson, "The electrodeposition of metal at metal/carbon nanotube junctions", Chem. Phys. Lett, 361, 525, 2002.
- [58] Y. S. Han, J. K. Shin, S. T. Kim, "Synthesis of carbon nanotube bridges on patterned silicon wafers by selective lateral growth", J Appl.Phys, 90, 5731, 2001.
- [59] S. Frank, P. Poncharal, Z. L. Wang, W. Heer, "Carbon nanotube quantum resistors", Science, 280, 1774, 1998.
- [60] 陳紹良，「以微波電漿化學氣相沉積法成長奈米碳管之研究」，

國立中央大學，碩士論文，民國九十一年。

- [61] O. HJORTSTAM, P. ISBERG, S. SÖDERHOLM, H. DAI, Appl. Phy, A78, pp. 1175-1179, 2004.

- [62] 陳俊維 物理雙月刊，第廿七卷第四期，2005 年 8 月
- [63] J. Tersoff," Contact resistance of carbon nanotubes," Appl. Phys. Lett., 74, pp. 2122-2124, 1999.
- [64] A. Kanda, Y. Ootuka, K. Tsukagoshi, and Y. Aoyagi," Electron transport in metal/multiwall carbon nanotube/metal structures (metal=Ti or Pt/Au)," Appl. Phys. Lett., 79, pp. 1354-1356, 2001.
- [65] Y. Zhang, T. Ichihashi, E. Landree, F. Nihey, and S. Iijima," Heterostructures of Single-Walled Carbon Nanotubes and Carbide Nanorods," Science, 285, pp. 1719-1722, 1999.
- [66] Mizuhisa NIHEI, Masahiro HORIBE, Akio KAWABATA, Yuji AWANO, J. J. Appl. Phys 43, No. 4B, pp. 1856–1859, 2004.

[67]翁堅立，「金屬與奈米碳管之接觸性質研究」，國立交通大學，碩士論文，民國九十二年。

- [68] Chang et al., J. Phys. Chem., 99, 28, 1995.

