

## Reference

- [1] E. F. Schubert, and J.K. Kim, "Solid-state light sources getting smart," *science*, Vol. 308, pp. 1274-1278, 2005.
- [2] E. F. Schubert, *Light-Emitting Diodes*. (Cambridge University Press, Cambridge, U.K. 2003.).
- [3] A. Zukauskas, M. S. Shur, and R. Gaska, *Introduction to Solid-State Lighting*. (New York: Wiley.)
- [4] H. W. Huang, C. C. Kao, J. T. Chu, H. C. Kuo, S. C. Wang, and C. C. Yu, "Improvement of InGaN–GaN Light-Emitting Diode Performance With a Nano-Roughened p-GaN Surface," *IEEE Photon. Technol. Lett.* Vol. 17, pp 983-985, 2005.
- [5] Y. J. Lee, H. C. Kuo, S. C. Wang, T. C. Hsu, M. H. Hsieh, M. J. Jou, and B. J. Lee, "Increasing the Extraction Efficiency of AlGaInP LEDs via n-Side Surface Roughening," *IEEE Photon. Technol. Lett.* Vol. 17, pp 2289-2291, 2005.
- [6] Y. J. Lee, H. C. Kuo, T. C. Lu, and S. C. Wang, "High Light-Extraction GaN-Based Vertical LEDs With Double Diffuse Surfaces," *IEEE JOURNAL OF QUANTUM ELECTRONICS*, Vol. 42, pp 1196-1201, 2006.
- [7] Y. J. Lee, J. M. Hwang, T. C. Hsu, M. H. Hsieh, M. J. Jou, B. J. Lee, T. C. Lu, H. C. Kuo, and S. C. Wang, "GaN-Based LEDs With Al-Deposited V-Shaped Sapphire Facet Mirror," *IEEE Photon. Technol. Lett.* Vol. 18, pp 724-726, 2006.
- [8] C. C. Kao, H. C. Kuo, H. W. Huang, J. T. Chu, Y. C. Peng, Y. L. Hsieh, C. Y. Luo, S. C. Wang, C. C. Yu, and C. F. Lin, "Light–Output Enhancement in a Nitride-Based Light-Emitting Diode With 22° Undercut Sidewalls," *IEEE Photon. Technol. Lett.* Vol. 17, pp 19-21, 2005.

- [9] C.H. Chao, S. L. Chuang, and T. L. Wu, "Theoretical demonstration of enhancement of light extraction of flip-chip GaN light-emitting diodes with photonic crystals," *Appl. Phys. Lett.* Vol. 89, 091116, 2006.
- [10] Y. J. Lee, T. C. Lu, H. C. Kuo, S. C. Wang, M. J. Liou, C. W. Chang, T. C. Hsu, M. H. Hsieh, M. J. Jou and B. J. Lee, "AlGaInP Light-Emitting Diodes with Stripe Patterned Omni-Directional Reflector," *Jpn. J. Appl. Phys.* Vol. 45, pp 643-645, 2006.
- [11] C. H. Lin, C. F. Lai, T. S. Ko, H. W. Huang, H. C. Kuo, Y. Y. Hung, K. M. Leung, C. C. Yu, R. J. Tsai, C. K. Lee, T. C. Lu, and S. C. Wang, "Enhancement of InGaN–GaN Indium–Tin–Oxide Flip-Chip Light-Emitting Diodes With TiO<sub>2</sub>–SiO<sub>2</sub> Multilayer Stack Omnidirectional Reflector," *IEEE Photon. Technol. Lett.* Vol. 18, pp 2050-2052, 2006.
- [12] J. K. Kim, J. Q. Xi, and E. Fred Schubert, "Omni-directional reflectors for light-emitting diodes," *Proc. of SPIE*, Vol. 6134, pp 61340D-1-12, 2006.
- [13] S. J. Chang, C. S. Chang, Y. K. Su, C. T. Lee, W. S. Chen, C. F. Shen, Y. P. Hsu, S. C. Shei, and H. M. Lo, "Nitride-based flip-chip ITO LEDs," *IEEE Trans. Adv. Package.*, vol. 28, no. 2, pp. 273–277, 2005.
- [14] D. L. Hibbard, S. P. Jung, C. Wang, D. Ullery, Y. S. Zhao, W. So, H. Liu, and H. P. Lee, "Low resistance high reflectance contacts to p-GaN using oxidized Ni/Au and Al or Ag," *Appl. Phys. Lett.*, vol. 83, pp. 311-313, 2003.
- [15] Transl.:Y. Kondoh, S. Wantanabe, Y. Kaneko, S. Nakagawa, N. Yamada, "Nitride semiconductor light emitting device having a silver p-contact," U.S. Patent 6, 194, 743
- [16] T. Fujii, Y. Gao, R. Sharma, E. L. Hu, S. P. DenBaars, and S. Nakamura, "Increase in the extraction efficiency of GaN-based light-emitting diodes via surface roughening," *Appl. Phys. Lett.*, vol. 84–86, pp. 855, 2004.

- [17] R. Windisch, C. Rومان, S. Meinschmidt, P. Kiesel, D. Zipperer, G. H. Döhler, B. Dutta, M. Kuijk, G. Borghs, and P. Heremans, "Impact of texture-enhanced transmission on high-efficiency surface-textured light-emitting diodes," *Appl. Phys. Lett.*, vol. 79, pp. 2315–2317, 2001.
- [18] M. R. Krames, M. Ochiai-Holcomb, G. E. Höfler, C. Carter-Coman, E. I. Chen, I.-H. Tan, P. Grillot, N. F. Gardner, H. C. Chui, J.-W. Huang, S. A. Stockman, F. A. Kish, and M. G. Craford, "High-power truncated-inverted-pyramid  $(\text{Al}_x\text{Ga}_{1-x})_{0.5}\text{In}_{0.5}\text{P}/\text{GaP}$  light-emitting diodes exhibiting >50 external quantum efficiency," *Appl. Phys. Lett.* Vol. 75, pp. 2365-2367, 1999.
- [19] J. H. Lau, "Flip Chip Technologies," McGraw-Hill, 1995.
- [20] C. Kittel, Charles, "Introduction to Solid State Physics," Wiley, 1996.
- [21] Donald A. Neamen, "Semiconductor Physics and Devices Basic Principles," McGraw-Hill, 2003.
- [22] 徐嘉彬, 劉俊賢, "The process and equipment technology of thermosonic flip-chip bonding," *機械工業雜誌*, Vol. 258, pp. 218-228, 2004.
- [23] D. S. Han, J. Y. Kim, S. I. Na, S. H. Kim, K. D. Lee, B. Kim, and S. J. Park, "Improvement of Light Extraction Efficiency of Flip-Chip Light-Emitting Diode by Texturing the Bottom Side Surface of Sapphire Substrate." *IEEE Photo. Technol. Lett.*, vol. 18, pp. 1406-1408, 2006.
- [24] S. J. Kim, "Vertical electrode GaN-based light-emitting diode fabricated by selective wet etching technique," *Jpn. J. Appl. Phys.*, vol. 44, pp. 2921–2924, 2005.
- [25] J. Wang, L. W. Guo, H. Q. Jia, Y. Wang, Z. G. Xing, W. Li, H. Chen, and J. M. Zhou, "Fabrication of Patterned Sapphire Substrate by Wet Chemical Etching for Maskless Lateral Overgrowth of GaN," *J. Electrochem. Soc.*,

vol. 153, pp. C182-C185, 2006.

